



HI 84437-55
Pump Calibration Solution
Safety Data Sheet

According to Regulation (EC) No. 1907/2006
OSHA Regulation 29 CFR 1910.1200
Canadian Regulation SOR/88-66

Revision Date: 2009-06-10
Reason for Revision: 29 CFR 1910.1200 and SOR/88-66 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 84437-55 Pump Calibration Solution

Application: Determination of Titratable Acidity

Company Information (USA):

Hanna Instruments, Inc.
584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information:

1-800-426-6287 (8:30AM - 5:00PM ET)
+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information:

1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information:

+1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address:

tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Non-hazardous product as specified in Directives 67/548/EEC and 1999/45/EC.
Non-hazardous product as specified in OSHA Regulation 29 CFR 1910.1200.
Non-hazardous product as specified in Canadian Regulation SOR/88-66.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component: Sulfuric Acid

EC-No.: 231-639-5

CAS-No.: 7664-93-9

Hazard: C

Phrases: R: 35

Content: > 0.5% - < 5.0 %

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air.

After Skin Contact: Wash affected area with plenty of water.

After Eye Contact: Rinse out with water.

After Swallowing: Wash out mouth thoroughly with water and give plenty of water to drink. In severe cases obtain medical attention.

General Information: Not available

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Non-combustible. Specific Hazard(s): Emits toxic fumes under fire conditions. The following may develop in event of fire: sulfur oxides.

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Contain escaping vapors with water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Do not inhale vapors/aerosols.

Environmental Precautions:

None

Additional Notes:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

SECTION 7: HANDLING AND STORAGE

Handling:

No restrictions.

Storage:

Store at room temperature (+15°C to +25°C). Protect from light and moisture.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Type	Value	Source	Type	Value	Source
Sulfuric Acid					
TWA (8hr)	1 mg/m ³	Belgium	TWA (8hr)	0.2 mg/m ³	Canada (Ontario)
TWA (8hr)	1 mg/m ³	Canada (Quebec)	TWA (8hr)	1 mg/m ³	France
TWA (8hr)	1 mg/m ³	Greece	TWA (8hr)	1 mg/m ³	Hungary
TWA (8hr)	0.5 mg/m ³	Poland	TWA (8hr)	0.2 mg/m ³	Portugal
TWA (8hr)	0.5 mg/m ³	Romania	TWA (8hr)	1 mg/m ³	Spain
TWA (8hr)	0.2 mg/m ³	USA (ACGIH)	TWA (8hr)	1 mg/m ³	USA (OSHA)

Engineering:

Maintain general industrial hygiene practice.

Personal Protective Equipment:

As appropriate to quantity handled.

Respiratory Protection:

Required when vapors/aerosols are generated.

Protective Gloves:

Rubber or plastic

Eye Protection:

Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance:	Colorless liquid	Odor:	Odorless	Density at 20° C:	1.00 g/cm ³
Melting Point:	NA	Boiling Point:	~100°C	Solubility:	Soluble
pH at 20° C:	< 3	Explosion Limit:	NA	Flash Point:	NA
Thermal Decomp.:	NA				

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Not available

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

The generally known reaction partners of water

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Further Data: Further hazardous properties cannot be excluded but are unlikely when the product is handled appropriately. The product should be handled with the care usual when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Sulfuric Acid

LC50: Inhalation - Rat - 510 mg/m³

LD50: Oral - Rat - 2140 mg/kg

Additional Data:

Not Available

Chronic Toxicity:

Sulfuric Acid

NTP: Known to be carcinogenic to humans

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecotoxicity of this product is not available.

Further Data: No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land:

ADR/RID: 8/UN 2796/PGII
Name: SULFURIC ACID SOLUTION

Sea:

IMDG: 8/UN 2796/PGII
Name: SULFURIC ACID SOLUTION
EMS: F-A S-B

Air:

ICAO/IATA: 8/UN 2796/PGII
Name: SULFURIC ACID SOLUTION

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

Non-hazardous according to Directives 67/548/EEC and 1999/45/EC.

S-phrases: 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Contains: Sulfuric Acid



HI 84437-55
Pump Calibration Solution
Safety Data Sheet

According to Regulation (EC) No. 1907/2006
OSHA Regulation 29 CFR 1910.1200
Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3

35: Causes severe burns.

Revision Information

Revision Date: 2009-06-10

Supersedes edition of: 2009-04-17

Reason for revision: 29 CFR 1910.1200 and SOR/88-66
Compliance

Legend

NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.